

RECEIVED  
CENTRAL FAX CENTER  
JAN 16 2008

### AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A Java monitoring architecture (JMA), comprising:  
one or more monitor servers to monitor resources, collect monitoring data  
associated with the resources, and provide the monitoring data to one or  
more destinations, wherein each monitor server includes a Java  
Management Extensions (JMX)-based monitor server; and  
one or more managed bean servers coupled with the one or more monitor servers,  
each managed bean server having a registry of associated managed beans  
to facilitate the one or more monitor servers to monitor the resources, each  
managed bean server further having a container to hold the managed  
beans, the managed beans to access management applications to manage  
the resources that are being monitored, the managing of the resources  
including one or more of maintaining history of the resources, and  
providing alerts if a resource reaches a critical state such that the resource  
is enabled or disabled as necessitated, the resource including a parameter,  
an application, and a component.
2. (Previously Presented) The JMA of claim 1, wherein the one or more monitor  
servers are further to receive a request for the monitoring of the resources from  
the one or more destinations, and to monitor the resources in response to the  
request.
3. (Original) The JMA of claim 1, wherein the resources include Java resources  
associated with a Java 2 Platform, Enterprise Edition (J2EE) engine.

4. (Original) The JMA of claim 1, wherein the one or more managed bean servers are further to couple the one or more monitor servers with the one or more destinations.
5. (Previously Presented) The JMA of claim 4, wherein the one or more destinations include one or more of a computing center management system (CCMS), one or more administrative tools, and one or more third party tools.
6. (Original) The JMA of claim 5, wherein the one or more administrative tools are coupled with the one or more monitor servers and the one or more managed bean servers via an administrative service interface, the one or more administrative tools include a monitor viewer to display the monitoring data.
7. (Previously Presented) The JMA of claim 6, wherein the monitor viewer includes one or more of a visual administrator monitor viewer and a Graphical User Interface (GUI)-based monitor viewer.
8. (Previously Presented) The JMA of claim 5, wherein the one or more monitor servers are coupled with the one or more third party tools via an interface including a Managed Enterprise Java Bean interface, wherein the one or more third party tools include a file system to temporarily store the monitoring data.
9. (Original) The JMA of claim 1, further comprises a shared memory coupled with the one or more monitor servers and the CCMS, the shared memory including contents of the monitoring data and the CCMS.
10. (Currently Amended) A method, comprising:  
monitoring resources via one or more monitor servers, wherein each monitor server having a Java Management Extensions (JMX)-based monitor server, the resources including Java resources, wherein the one or more

monitor servers are coupled with one or more managed bean servers, each managed bean server having a registry of associated managed beans to facilitate the one or more monitor servers to monitor the resources, each managed bean server further having a container to hold the managed beans, the managed beans to access management applications to manage the resources that are being monitored, the managing of the resources including one or more of maintaining history of the resources, and providing alerts if a resource reaches a critical state such that the resource is enabled or disabled as necessitated, the resource including a parameter, an application, and a component;

collecting monitoring data associated with the resources; and

providing the monitoring data to one or more destinations.

11. (Previously Presented) The method of claim 10, further comprising:  
receiving a request to monitor the resources from the one or more destinations;  
receiving the monitoring data at the one or more destinations; and  
displaying the monitored data using a monitor viewer at the one or more destinations.
12. (Original) The method of claim 10, wherein the monitoring data includes at least one of the following about the monitored resources: general information, statistics, predictions, and history.
13. (Previously Presented) The method of claim 10, wherein the resources include one or more of a kernel, server components, network connections, memory consumption, threads, classloaders, database connections, database transactions, HyperText Transport Protocol (HTTP) cache, Java Messaging Service (JMS)

queries and topics, and sessions.

14. (Previously Presented) The method of claim 13, wherein the server components include one or more of libraries, interfaces, and services.
15. (Original) The method of claim 10, wherein the one or more monitor servers are located, locally or remotely, at one or more Java virtual machines.
16. (Cancelled)
17. (Previously Presented) The method of claim 11, wherein the one or more destinations include one or more of a computing center management system (CCMS), one or more administrative tools, and one or more third party tools.
18. (Previously Presented) The method of claim 17, wherein the one or more administrative tools include a monitor viewer including one or more of a visual administrator monitor viewer and a Graphical User Interface (GUI)-based monitor viewer.
19. (Currently Amended) A system, comprising:  
one or more monitor servers to monitor resources, collect monitoring data associated with the resources, and provide the monitoring data to one or more destinations, wherein each monitor server includes a Java Management Extensions (JMX)-based monitor server;  
one or more managed bean servers coupled with the one or more monitor servers, each managed bean server having a registry of associated managed beans to facilitate the one or more monitor servers to monitor the resources, each managed bean server further having a container to hold the managed beans, the managed beans to access management applications to manage the resources that are being monitored, the managing of the resources

including one or more of maintaining history of the resources, and  
providing alerts if a resource reaches a critical state such that the resource  
is enabled or disabled as necessitated, the resource including a parameter,  
an application, and a component; and

the one or more destinations coupled with the one or more monitor servers, the  
one or more destinations to receive the monitoring data, and to display the  
monitoring data via a monitor viewer.

20. (Original) The system of claim 19, wherein the one or more monitor servers to receive a request to monitor the resources from the one or more destinations, and to monitor the resources in response to the request.
21. (Original) The system of claim 19, wherein the one or more destinations include one or more administrative tools having the monitor viewer, and one or more third party tools having a file system to temporarily store the monitoring data.
22. (Original) The system of claim 19, wherein the one or more destinations further include a computing center management system (CCMS) to originate the request, and to receive the monitoring data via a CCMS agent.
23. (Original) The system of claim 19, wherein the resources include Java resources associated with a Java 2 Platform, Enterprise Edition (J2EE) engine.
24. (Previously Presented) The system of claim 19, wherein the resources include one or more of a kernel, server components, network connections, memory consumption, threads, classloaders, database connections, database transactions, Hypertext Transport Protocol (HTTP) cache, Java Messaging Service (JMS) queries and topics, and sessions.
25. (Currently Amended) A machine-readable medium comprising instructions

which, when executed, cause a machine to:

monitor resources via one or more monitor servers, wherein each monitor server having a Java Management Extensions (JMX)-based monitor server, the resources including Java resources, wherein the one or more monitor servers are coupled with one or more managed bean servers, each managed bean server having a registry of associated managed beans to facilitate the one or more monitor servers to monitor the resources, each managed bean server further having a container to hold the managed beans, the managed beans to access management applications to manage the resources that are being monitored, the managing of the resources including one or more of maintaining history of the resources, and providing alerts if a resource reaches a critical state such that the resource is enabled or disabled as necessitated, the resource including a parameter, an application, and a component;

collect monitoring data associated with the resources; and

provide the monitoring data to one or more destinations.

26. (Previously Presented) The machine-readable medium of claim 25, wherein the instructions which, when executed, further cause the machine to:
- receive a request to monitor the resources, the request is received from the one or more destinations;
- receive the monitoring data at the one or more destinations; and
- display the monitored data via a monitor viewer at the one or more destinations.
27. (Original) The machine-readable medium of claim 25, wherein the monitoring data includes at least one of the following about the monitored resources: general

information, statistics, predictions, and history.

28. (Previously Presented) The machine-readable medium of claim 25, wherein the resources include one or more of a kernel, server components, network connections, memory consumption, threads, classloaders, database connections, database transactions, HyperText Transport Protocol (HTTP) cache, Java Messaging Service (JMS) queries and topics, and sessions.
29. (Original) The machine-readable medium of claim 28, wherein the server components include at least one of the following: libraries, interfaces, and services.
30. (Original) The machine-readable medium of claim 25, wherein the one or more monitor servers are located, locally or remotely, at one or more Java virtual machines.
31. (Cancelled)
32. (Previously Presented) The machine-readable medium of claim 26, wherein the one or more destinations include one or more of a computing center management system (CCMS), one or more administrative tools, and one or more third party tools.
33. (Previously Presented) The machine-readable medium of claim 32, wherein the one or more administrative tools include a monitor viewer including one or more of a visual administrator monitor viewer and a Graphical User Interface (GUI)-based monitor viewer.